

**Reference List for Original HRP Evidence Book 2008 Evidence Report on
Risk of Orthostatic Intolerance During Re-exposure to Gravity
March 2008**

- (1) Purdy RE, Meck JV. Endothelium in Space. In: Aird WC, editor. Endothelial Biomedicine. New York: Cambridge University Press, 2007: 520-526.
- (2) Fortney SM. Development of lower body negative pressure as a countermeasure for orthostatic intolerance. *J Clin Pharmacol* 1991; 31:888-892.
- (3) Hoffler G.W., Johnson RL. Apollo Flight Crew Cardiovascular Evaluations. In: Johnston RS, Dietlein LF, Berry CA, editors. Biomedical Results of Apollo. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1975: 227-264.
- (4) Thornton WE, Hoffler G.W., Rummel JA. Anthropometric Changes and Fluid Shifts. In: Johnston RS, Dietlein LF, editors. Biomedical Results From Skylab. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1977: 330-338.
- (5) Meck JV, Reyes CJ, Perez SA, Goldberger AL, Ziegler MG. Marked exacerbation of orthostatic intolerance after long- vs. short-duration spaceflight in veteran astronauts. *Psychosom Med* 2001; 63(6):865-873.
- (6) Bungo MW, Charles JB, Johnson PC, Jr. Cardiovascular deconditioning during spaceflight and the use of saline as a countermeasure to orthostatic intolerance. *Aviat Space Environ Med* 1985; 56(10):985-990.
- (7) Charles JB, Fritsch-Yelle JM, Whitson PA, Wood ML, Brown TE, Fortner GW. Cardiovascular Deconditioning. In: Sawin CF, Taylor GR, Smith WL, editors. Extended Duration Orbiter Medical Project: Final Report (1989 - 1995). National Aeronautics and Space Administration, 1999: 1-1-1-19.
- (8) Fritsch-Yelle JM, Whitson PA, Bondar RL, Brown TE. Subnormal norepinephrine release relates to presyncope in astronauts after spaceflight. *J Appl Physiol* 1996; 81(5):2134-2141.
- (9) Waters WW, Ziegler MG, Meck JV. Postspaceflight orthostatic hypotension occurs mostly in women and is predicted by low vascular resistance. *J Appl Physiol* 2002; 92:586-594.
- (10) Zhang LF. Vascular adaptation to microgravity: what have we learned? *J Appl Physiol* 2001; 91(6):2415-2430.
- (11) Platts SH, Ziegler MG, Waters WW, Mitchell BM, Meck JV. Midodrine prescribed to improve recurrent post-spaceflight orthostatic hypotension. *Aviat Space Environ Med* 2004; 75(6):554-556.
- (12) Pavy-Le Traon A, Heer M, Narici MV, Rittweger J, Vernikos J. From space to Earth: advances in human physiology from 20 years of bed rest studies (1986-2006). *Eur J Appl Physiol* 2007; 101(2):143-194.
- (13) Grenon SM, Xiao X, Hurwitz S, Sheynberg N, Kim C, Seely EW et al. Why is orthostatic tolerance lower in women than in men? Renal and cardiovascular

- responses to simulated microgravity and the role of midodrine. *J Investig Med* 2006; 54(4):180-190.
- (14) Meck JV, Waters WW, Ziegler MG, deBlock HF, Mills PJ, Robertson D et al. Mechanisms of postspaceflight orthostatic hypotension: low alpha1-adrenergic receptor responses before flight and central autonomic dysregulation postflight. *Am J Physiol Heart Circ Physiol* 2004; 286(4):H1486-H1495.
 - (15) Goldstein DS, Pechnik S, Holmes C, Eldadah B, Sharabi Y. Association between supine hypertension and orthostatic hypotension in autonomic failure. *Hypertension* 2003; 42(2):136-142.
 - (16) Jacob G, Robertson D, Mosqueda-Garcia R, Ertl AC, Roberston RM, Biaggioni I. Hypovolemia in syncope and orthostatic intolerance role of the renin-angiotensin system. *Am J Med* 1997; 103(2):128-133.
 - (17) Levine BD, Zuckerman JH, Pawelczyk JA. Cardiac atrophy after bed-rest deconditioning: a non-neural mechanism for orthostatic intolerance. *Circulation* 1997; 96(2):517-525.
 - (18) Perhonen MA, Franco F, Lane LD, Buckey JC, Blomqvist CG, Zerwekh JE et al. Cardiac atrophy after bed rest and spaceflight. *J Appl Physiol* 2001; 91(2):645-653.
 - (19) Levine BD, Buckey JC, Fritsch JM, Yancy CW, Jr., Watenpaugh DE, Snell PG et al. Physical fitness and cardiovascular regulation: mechanisms of orthostatic intolerance. *J Appl Physiol* 1991; 70:112-122.
 - (20) Robertson D, Convertino VA, Vernikos J. The sympathetic nervous system and the physiologic consequences of spaceflight: a hypothesis. *Am J Med Sci* 1994; 308(2):126-132.
 - (21) Buckey JC, Jr., Lane LD, Levine BD, Watenpaugh DE, Wright SJ, Moore WE et al. Orthostatic intolerance after spaceflight. *J Appl Physiol* 1996; 81(1):7-18.
 - (22) Convertino VA, Doerr DF, Eckberg DL, Fritsch JM, Vernikos-Danellis J. Head-down bed rest impairs vagal baroreflex responses and provokes orthostatic hypotension. *J Appl Physiol* 1990; 68:1458-1464.
 - (23) Convertino VA, Doerr DF, Ludwig DA, Vernikos J. Effect of simulated microgravity on cardiopulmonary baroreflex control of forearm vascular resistance. *Am J Physiol* 1994; 266(6 Pt 2):R1962-R1969.
 - (24) Crandall CG, Engelke KA, Convertino VA, Raven PB. Aortic baroflex control of heart rate following 15 days of simulated microgravity exposure. *J Appl Physiol* 1994; 77(5):2134-2139.
 - (25) Eckberg DL, Fritsch JM. Influence of ten-day head-down bed rest on human carotid baroreceptor-cardiac reflex function. *Acta Physiol Scand* 1992; 144,S604:69-76.
 - (26) Fritsch-Yelle JM, Charles JB, Jones MM, Beightol LA, Eckberg DL. Spaceflight alters autonomic regulation of arterial pressure in humans. *J Appl Physiol* 1994; 77(4):1776-1783.

- (27) Fritsch JM, Charles JB, Bennett BS, Jones MM, Eckberg DL. Short-duration spaceflight impairs human carotid baroreceptor- cardiac reflex responses. *J Appl Physiol* 1992; 73(2):664-671.
- (28) Hughson RL, Maillet A, Gharib C, Fortrat JO, Yamamoto Y, Pavy-Letraon A et al. Reduced spontaneous baroreflex response slope during lower body negative pressure after 28 days of head-down bed rest. *J Appl Physiol* 1994; 77(1):69-77.
- (29) Iwasaki K, Zhang R, Perhonen MA, Zuckerman JH, Levine BD. Reduced baroreflex control of heart period after bed rest is normalized by acute plasma volume restoration. *Am J Physiol Regul Integr Comp Physiol* 2004; 287(5):R1256-R1262.
- (30) Iwasaki KI, Zhang R, Zuckerman JH, Pawelczyk JA, Levine BD. Effect of head-down-tilt bed rest and hypovolemia on dynamic regulation of heart rate and blood pressure. *Am J Physiol Regul Integr Comp Physiol* 2000; 279(6):R2189-R2199.
- (31) Bergman SA, Jr., Johnson RL. Evaluation of the Electromechanical Properties of the Cardiovascular System After Prolonged Weightlessness. *Biomedical Results From Skylab*. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1977: 351-365.
- (32) Johnson RL, Hoffler G.W., Nicogossian AE, Bergman SA, Jr., Jackson MM. Lower Body Negative Pressure: Third Manned Skylab Mission. In: Johnston RS, Dietlein LF, editors. *Biomedical Results From Skylab*. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1977: 284-312.
- (33) Henry WL, Epstein SE, Griffith JM, Goldstein RE, Redwood DR. Effect of Prolonged Spaceflight on Cardiac Function and Dimensions. In: Johnston RS, Dietlein LF, editors. *Biomedical Results From Skylab*. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1977: 366-371.
- (34) Buckey JC, Jr., Lane LD, Levine BD, Watenpaugh DE, Wright SJ, Moore WE et al. Orthostatic intolerance after spaceflight. *J Appl Physiol* 1996; 81(1):7-18.
- (35) Martin DS, Meck JV. Presyncopal/non-presyncopal outcomes of post spaceflight stand tests are consistent from flight to flight. *Aviat Space Environ Med* 2004; 75(1):65-67.
- (36) Leach CS, Alexander WC, Johnson PC. Endocrine, Electrolyte, and Fluid Volume Changes Associated with Apollo Missions. In: Johnston RS, Dietlein LF, Berry CA, editors. *Biomedical Results of Apollo*. Washington, D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1975: 163-184.
- (37) Johnson PC, Driscoll T, Leblanc AD. Blood Volume Changes. In: Johnston RS, Dietlein LF, editors. *Biomedical Results From Skylab*. Washington D.C.: Scientific and Technical Office National Aeronautics and Space Administration, 1977: 235-241.

- (38) Leach CS, Alfrey CP, Suki WN, Leonard JI, Rambaut PC, Inners LD et al. Regulation of body fluid compartments during short-term spaceflight. *J Appl Physiol* 1996; 81(1):105-116.
- (39) Norsk P. Cardiovascular and Fluid Volume Control in Humans in Space. *Current Pharmaceutical Biotechnology* 2005; 6(4):325-330.
- (40) Leach CS, Inners LD, Charles JB. Changes in total body water during spaceflight. *J Clin Pharmacol* 1991; 31(10):1001-1006.
- (41) Greenisen MC, Hayes JC, Siconolfi SF, Moore AD. Functional Performance Evaluation. In: Sawin CF, Taylor GR, Smith ML, editors. *Extended Duration Orbiter Medical Project: Final Report (1989 - 1995)*. National Aeronautics and Space Administration, 1999: 3-1-3-24.
- (42) Trappe T, Trappe S, Lee G, Widrick J, Fitts R, Costill D. Cardiorespiratory responses to physical work during and following 17 days of bed rest and spaceflight. *J Appl Physiol* 2006; 100(3):951-957.
- (43) Meck JDSWL. Multisystem Responses to Long-Duration Bed Rest: Overview. *Aviat Space Environ Med*. In press.
- (44) Levine BD, Pawelczyk JA, Ertl AC, Cox JF, Zuckerman JH, Diedrich A et al. Human muscle sympathetic neural and haemodynamic responses to tilt following spaceflight. *J Physiol* 2002; 538(Pt 1):331-340.
- (45) Harm DL, Jennings RT, Meck JV, Powell MR, Putcha L, Sams CP et al. Invited review: gender issues related to spaceflight: a NASA perspective. *J Appl Physiol* 2001; 91(5):2374-2383.
- (46) Grenon SM, Xiao X, Hurwitz S, Sheynberg N, Kim C, Seely EW et al. Why is orthostatic tolerance lower in women than in men? Renal and cardiovascular responses to simulated microgravity and the role of midodrine. *J Investig Med* 2006; 54(4):180-190.
- (47) Fu Q, Arbab-Zadeh A, Perhonen MA, Zhang R, Zuckerman JH, Levine BD. Hemodynamics of orthostatic intolerance: implications for gender differences. *Am J Physiol Heart Circ Physiol* 2004; 286(1):H449-H457.
- (48) Gotshall RW, Tsai P-F, Frey MAB. Gender-based differences in the cardiovascular response to standing. *Aviat Space Environ Med* 1991; 62:855-859.
- (49) Montgomery LD, Kirk PJ, Payne PA, Gerber RL, Newton SD, Williams BA. Cardiovascular responses of men and women to lower body negative pressure. *Aviat Space Environ Med* 1977; 48(2):138-145.
- (50) Shoemaker JK, Hogeman CS, Khan M, Kimmerly DS, Sinoway LI. Gender affects sympathetic and hemodynamic response to postural stress. *Am J Physiol Heart Circ Physiol* 2001;(281):H2028-H2035.
- (51) White DD, Gotshall RW, Tucker A. Women have lower tolerance to lower body negative pressure than men. *J Appl Physiol* 1996; 80(4):1138-1143.

- (52) Collins A, Frankenhaeuser M. Stress responses in male and female engineering students. *J Human Stress* 1978;43-48.
- (53) Schondorf R, Low PA. Gender related differences in the cardiovascular responses to upright tilt in normal subjects. *Clin Auto Res* 1992; 2:183-187.
- (54) Abdel-Rahman ARA, Merrill RH, Wooles WR. Gender-related differences in the baroreceptor reflex control of heart rate in normotensive humans. *J Appl Physiol* 1994; 77(2):606-613.
- (55) Girdler SS, Hinderliter AL, Light KC. Peripheral adrenergic receptor contributions to cardiovascular reactivity: Influence of race and gender. *J Psychosomatic Research* 1993; 37(2):177-193.
- (56) Hunt BE, Taylor JA, Hamner JW, Gagnon M, Lipsitz LA. Estrogen replacement therapy improves baroreflex regulation of vascular sympathetic outflow in postmenopausal women. *Circulation* 2001; 103(24):2909-2914.
- (57) Vongpatanasin W, Tuncel M, Mansour Y, Arbique D, Victor RG. Transdermal estrogen replacement therapy decreases sympathetic activity in postmenopausal women. *Circulation* 2001; 103(24):2903-2908.
- (58) Frey MAB, Hoffler GW. Association of sex and age with responses to lower-body negative pressure. *J Appl Physiol* 1988; 65(4):1752-1756.
- (59) Frey MAB, Tomaselli CM, Hoffler WG. Cardiovascular responses to postural changes: Differences with age for women and men. *J Clin Pharmacol* 1994; 34:394-402.
- (60) Kilgour RD, Carvalho J. Gender differences in cardiovascular responses to the cold hand pressor test and facial cooling. *Can J Physiol Pharmacol* 1994; 72:1193-1199.
- (61) McAdoo WG, Weinberger MH, Miller JZ, Fineberg NS, Grim CE. Race and gender influence hemodynamic responses to psychological and physical stimuli. *J Hypertens* 1990; 8(10):961-967.
- (62) Arora S, Veves A, Caballero AE, Smakowski P, LoGerfo FW. Estrogen improves endothelial function. *J Vasc Surg* 1998; 27(6):1141-1146.
- (63) Gilligan DM, Badar DM, Panza JA, Quyyumi AA, Cannon RO, III. Effects of estrogen replacement therapy on peripheral vasomotor function in postmenopausal women. *Am J Cardiol* 1995; 75:264-268.
- (64) Guetta V, Quyyumi AA, Prasad A, Panza JA, Waclawiw M, Cannon RO. The role of nitric oxide in coronary vascular effects of estrogen in postmenopausal women. *Circulation* 1997; 96:2795-2801.
- (65) Lieberman EH, Gerhard MD, Uehata A, Walsh BW, Selwyn AP, Ganz P et al. Estrogen improves endothelium-dependent, flow-mediated vasodilation in postmenopausal women. *Ann Intern Med* 1994; 121(12):936-941.
- (66) Tagawa H, Shimokawa H, Tagawa T, Kuroiwa-Matsumoto M, Hirooka Y, Takeshita A. Short-term estrogen augments both nitric oxide-mediated and non-

- nitric oxide-mediated endothelium-dependent forearm vasodilation in postmenopausal women. *J Cardiovasc Pharmacol* 1997; 30:481-488.
- (67) Jarvis SS, Florian JP, Curren MJ, Pawelczyk JA. Sex Differences in Splanchnic Hemodynamics during 70 degrees Head-Up Tilt. *Medicine and Science in Sports and Exercise* 2006; 38(11):S4.
- (68) Fu Q, Witkowski S, Okazaki K, Levine BD. Effects of gender and hypovolemia on sympathetic neural responses to orthostatic stress. *Am J Physiol Regul Integr Comp Physiol* 2005; 289(1):R109-R116.
- (69) Shibao C, Grijalva CG, Raj SR, Biaggioni I, Griffin MR. Orthostatic hypotension-related hospitalizations in the United States. *Am J Med* 2007; 120(11):975-980.
- (70) Platts SH, Shi SJ, Meck JV. Akathisia with combined use of midodrine and promethazine. *J Am Med Assoc* 2006; 295(17):2000-2001.
- (71) Kimmerly DS, Shoemaker JK. Hypovolemia and neurovascular control during orthostatic stress. *Am J Physiol Heart Circ Physiol* 2002; 282(2):H645-H655.
- (72) Kimmerly DS, Shoemaker JK. Hypovolemia and MSNA discharge patterns: assessing and interpreting sympathetic responses. *Am J Physiol Heart Circ Physiol* 2003; 284(4):H1198-H1204.
- (73) Waters WW, Ziegler MG, Meck JV. Post-spaceflight orthostatic hypotension occurs mostly in women and is predicted by low vascular resistance. *J Appl Physiol* 2002; 92:586-594.
- (74) Shoemaker JK, Hogeman CS, Sinoway LI. Contributions of MSNA and stroke volume to orthostatic intolerance following bed rest. *Am J Physiol* 1999; 277(4 Pt 2):R1084-R1090.
- (75) Arbeille P, Fomina G, Roumy J, Alferova I, Tobal N, Hérault S. Adaptation of the left heart, cerebral and femoral arteries, and jugular and femoral veins during short- and long-term head-down tilt and spaceflights. *Eur J Appl Physiol* 2001; 86(2):157-168.
- (76) Waters WW, Platts SH, Mitchell BM, Whitson PA, Meck JV. Plasma volume restoration with salt tablets and water after bed rest prevents orthostatic hypotension and changes in supine hemodynamic and endocrine variables. *Am J Physiol Heart Circ Physiol* 2005; 288(2):H839-H847.
- (77) Kamiya A, Iwase S, Kitazawa H, Mano T, Vinogradova OL, Kharchenko IB. Baroreflex control of muscle sympathetic nerve activity after 120 days of 6 degrees head-down bed rest. *Am J Physiol Regul Integr Comp Physiol* 2000; 278(2):R445-R452.
- (78) Kamiya A, Michikami D, Fu Q, Iwase S, Hayano J, Kawada T et al. Pathophysiology of orthostatic hypotension after bed rest: paradoxical sympathetic withdrawal. *Am J Physiol Heart Circ Physiol* 2003; 285(3):H1158-H1167.

- (79) Pawelczyk JA, Zuckerman JH, Blomqvist CG, Levine BD. Regulation of muscle sympathetic nerve activity after bed rest deconditioning. *Am J Physiol Heart Circ Physiol* 2001; 280(5):H2230-H2239.
- (80) Bonnin P, Ben Driss A, Benessiano J, Maillet A, Pavy LT, Levy BI. Enhanced flow-dependent vasodilatation after bed rest, a possible mechanism for orthostatic intolerance in humans. *Eur J Appl Physiol* 2001; 85(5):420-426.
- (81) Bleeker MW, De Groot PC, Pawelczyk JA, Hopman MT, Levine BD. Effects of 18 days of bed rest on leg and arm venous properties. *J Appl Physiol* 2004; 96(3):840-847.
- (82) Morey-Holton ER, Globus RK. Hindlimb unloading rodent model: technical aspects. *J Appl Physiol* 2002; 92(4):1367-1377.
- (83) Morey-Holton ER, Globus RK, Kaplansky A, Durnova G. The hindlimb unloading rat model: literature overview, technique update and comparison with spaceflight data. In: Sonnenfeld G, editor. *Experimentation with animal models in Space*. Elsevier B.V., 2005: 7-40.
- (84) Socci RR, Wang M, Thierry-Palmer M, Emmett N, Bayorh MA. Cardiovascular responses to simulated microgravity in Sprague-Dawley rats. *Clin Exp Hypertens* 2000; 22(2):155-164.
- (85) Hasser EM, Moffitt JA. Regulation of sympathetic nervous system function after cardiovascular deconditioning. *Ann N Y Acad Sci* 2001; 940:454-468.
- (86) Foley CM, Mueller PJ, Hasser EM, Heesch CM. Hindlimb unloading and female gender attenuate baroreflex-mediated sympathoexcitation. *Am J Physiol Regul Integr Comp Physiol* 2005; 289(5):R1440-R1447.
- (87) Delp MD, Colleran PN, Wilkerson MK, McCurdy MR, Muller-Delp J. Structural and functional remodeling of skeletal muscle microvasculature is induced by simulated microgravity. *Am J Physiol Heart Circ Physiol* 2000; 278(6):H1866-H1873.
- (88) Platts SH, Martin DS, Perez SA, Ribeiro LC, Meck JV. Cardiovascular Adaptations to Long Duration Head-Down Tilt Bed Rest. In press.
- (89) Ma J, Kahwaji CI, Ni Z, Vaziri ND, Purdy RE. Effects of simulated microgravity on arterial nitric oxide synthase and nitrate and nitrite content. *J Appl Physiol* 2003; 94(1):83-92.
- (90) Woodman CR, Schrage WG, Rush JW, Ray CA, Price EM, Hasser EM et al. Hindlimb unweighting decreases endothelium-dependent dilation and eNOS expression in soleus not gastrocnemius. *J Appl Physiol* 2001; 91(3):1091-1098.
- (91) Convertino VA, Cooke WH. Vascular functions in humans following cardiovascular adaptations to spaceflight. *Acta Astronautica* 2007; 60(4-7):259-266.
- (92) Norsk P, Damgaard M, Petersen L, Gybel M, Pump B, Gabrielsen A et al. Vasorelaxation in space. *Hypertension* 2006; 47(1):69-73.

- (93) Summers RL, Coleman TG, Meck JV. Development of the Digital Astronaut Program for the analysis of the 3 mechanisms of physiologic adaptation to microgravity: Validation of the cardiovascular system module. *Acta Astronaut.* In press.
- (94) Summers RL, Coleman TG. Computer systems analysis of the cardiovascular mechanisms of reentry orthostasis in astronauts. *Comput Cardiol* 2002; 29:521-524.
- (95) Louisy F, Guezennec CY, Guell A. Leg vein hemodynamics during bed rests simulating lunar trip. *J Gravit Physiol* 1994; 1(1):100-101.
- (96) Pavy-Le Traon A, Allevard AM, Fortrat JO, Vasseur P, Gauquelin G, Guell A et al. Cardiovascular and hormonal changes induced by a simulation of a lunar mission. *Aviat Space Environ Med* 1997; 68(9 Pt 1):829-837.
- (97) Lathers CM, Diamandis PH, Riddle JM, Mukai C, Elton KF, Bungo MW et al. Acute and intermediate cardiovascular responses to zero gravity and to fractional gravity levels induced by head-down or head-up tilt. *J Clin Pharmacol* 1990; 30(6):494-523.
- (98) Lathers CM, Diamandis PH, Riddle JM, Mukai C, Elton KF, Bungo MW et al. Orthostatic function during a stand test before and after head-up or head-down bed rest. *J Clin Pharmacol* 1991; 31(10):893-903.
- (99) Lathers CM, Riddle JM, Mulvagh SL, Mukai C, Diamandis PH, Dussack L et al. Echocardiograms during six hours of bed rest at head-down and head-up tilt and during spaceflight. *J Clin Pharmacol* 1993; 33(6):535-543.
- (100) White PD, Nyberg JW, Finney L.M., White W.J. Influence of periodic centrifugation on cardiovascular functions of man during bed rest. Douglas Aircraft, co, Inc, Report *DAC-59286* . 1966. Santa Monica, CA.
- (101) Vernikos J. Artificial gravity intermittent centrifugation as a spaceflight countermeasure. *J Gravit Physiol* 1997; 4(2):13-16.
- (102) Hastreiter D, Young LR. Effects of a gravity gradient on human cardiovascular responses. *J Gravit Physiol* 1997; 4(2):23-26.
- (103) Korolkov VI, Kozlovskaya IB, Kotovskaya AR, Krotov VP, Vil-Viliams IF, Lobachik VI. Efficacy of periodic centrifugation of primates during 4-week head-down tilt. *Acta Astronaut* 2001; 49(3-10):237-242.
- (104) Iwasaki KI, Sasaki T, Hirayanagi K, Yajima K. Usefulness of daily +2Gz load as a countermeasure against physiological problems during weightlessness. *Acta Astronaut* 2001; 49(3-10):227-235.
- (105) Katayama K, Sato K, Akima H, Ishida K, Takada H, Watanabe Y et al. Acceleration with exercise during head-down bed rest preserves upright exercise responses. *Aviat Space Environ Med* 2004; 75(12):1029-1035.
- (106) Vil-Viliams IF. Principle approaches to selection of the short-arm centrifuge regimens for extended spaceflight. *Acta Astronaut* 1994; 33:221-229.

- (107) Charles JB, Lathers CM. Summary of lower body negative pressure experiments during spaceflight. *J Clin Pharmacol* 1994; 34:571-583.
- (108) Guell A, Cornac A, Faurat MM, Gauquelin G, Pavy-Le Traon A, Gharib C. Lower body negative pressure as a countermeasure against orthostatic intolerance for long term spaceflight. *Acta Astronaut* 1992; 27:103-107.
- (109) Guell A, Braak L, Pavy LT, Gharib C. Cardiovascular deconditioning during weightlessness simulation and the use of lower body negative pressure as a countermeasure to orthostatic intolerance. *Acta Astronaut* 1990; 21(9):667-672.
- (110) Arbeille P, Gauquelin G, Pottier JM, Pourcelot L, Guell A, Gharib C. Results of a 4-week head-down tilt with and without LBNP countermeasure: II. Cardiac and peripheral hemodynamics--comparison with a 25-day spaceflight. *Aviat Space Environ Med* 1992; 63(1):9-13.
- (111) Guell A, Braak L, Pavy LT, Gharib C. Cardiovascular deconditioning during weightlessness simulation and the use of lower body negative pressure as a countermeasure to orthostatic intolerance. *Acta Astronaut* 1990; 21(9):667-672.
- (112) Guell A, Cornac A, Faurat MM, Gauquelin G, Pavy-Le Traon A, Gharib C. Lower body negative pressure as a countermeasure against orthostatic intolerance for long term spaceflight. *Acta Astronaut* 1992; 27:103-107.
- (113) Hyatt KH, West DA. Reversal of bed rest-induced orthostatic intolerance by lower body negative pressure and saline. *Aviat Space Environ Med* 1977; 48(2):120-124.
- (114) Schneider SM, Watenpaugh DE, Lee SM, Ertl AC, Williams WJ, Ballard RE et al. Lower-body negative-pressure exercise and bed-rest-mediated orthostatic intolerance. *Med Sci Sports Exerc* 2002; 34(9):1446-1453.
- (115) Watenpaugh DE, O'Leary DD, Schneider SM, Lee SM, Macias BR, Tanaka K et al. Lower body negative pressure exercise plus brief postexercise lower body negative pressure improve post-bed rest orthostatic tolerance. *J Appl Physiol* 2007; 103(6):1964-1972.
- (116) Shi SJ, South DA, Meck JV. Fludrocortisone does not prevent orthostatic hypotension in astronauts after spaceflight. *Aviat Space Environ Med* 2004; 75(3):235-239.
- (117) McTavish D, Goa KL. Midodrine. A review of its pharmacological properties and therapeutic use in orthostatic hypotension and secondary hypotensive disorders. *Drugs* 1989; 38(5):757-777.
- (118) Low PA, Gilden JL, Freeman R, Sheng K-N, McElligott MA. Efficacy of midodrine vs placebo in neurogenic orthostatic hypotension. *J Am Med Assoc* 1997; 277(13):1046-1051.
- (119) Wright RA, Kaufmann HC, Perera R, Opfer-Gehrking TL, McElligott MA, Sheng KN et al. A double-blind, dose-response study of midodrine in neurogenic orthostatic hypotension. *Neurology* 1998; 51(1):120-124.

- (120) Ehringer H. [Study of human peripheral hemodynamics after i.v. infusion of a small dosage of dl-1-(2',5'-dimethoxyphenyl)-2-glycinamidoethanol-(1) hydrochloride (=st 1085)]. *Int Z Klin Pharmakol Ther Toxikol* 1971; 4(4):415-420.
- (121) Ramsdell CD, Mullen TJ, Sundby GH, Rostoft S, Sheynberg N, Aljuri N et al. Midodrine prevents orthostatic intolerance associated with simulated spaceflight. *J Appl Physiol* 2003; 90:2245-2248.
- (122) Akimoto M, Iida I, Itoga H, Miyata A, Kawahara S, Kohno Y. The in vitro metabolism of desglymidodrine, an active metabolite of prodrug midodrine by human liver microsomes. *Eur J Drug Metab Pharmacokinet* 2004; 29(3):179-186.
- (123) Hoeldtke RD, Horvath GG, Bryner KD, Hobbs GR. Treatment of orthostatic hypotension with midodrine and octreotide. *J Clin Endocrinol Metab* 1998; 83(2):339-343.
- (124) Hoeldtke RD, Davis KM, Joseph J, Gonzales R, Panidis IP, Friedman AC. Hemodynamic effects of octreotide in patients with autonomic neuropathy. *Circulation* 1991; 84(1):168-176.
- (125) Curtis SB, Hewitt J, Yakubovitz S, Anzarut A, Hsiang YN, Buchan AM. Somatostatin receptor subtype expression and function in human vascular tissue. *Am J Physiol Heart Circ Physiol* 2000; 278(6):H1815-H1822.
- (126) Hoeldtke RD, Dworkin GE, Gaspar SR, Israel BC. Sympathotonic orthostatic hypotension: a report of four cases. *Neurology* 1989; 39(1):34-40.
- (127) Tuxhorn JA, Waters WW, Ribeiro LC, Fortner GW, Platts SH, Meck JV. Evaluation and Comparison of the Kentavr and the Anti-G Suit as Countermeasures to Orthostatic Intolerance. Manuscript in preparation . 2006.